

1,熊澤孝朗, 水村和枝, 佐藤 純, 皆川宗徳:

侵害受容器放電活動からみた末梢性疼痛－オピオイドは末梢痛覚受容器の活動を抑制するか？－. 臨床薬理の進歩 '89: 3-27, 1989.



2,Koda, H., Minagawa, M., Leng, S., Mizumura, K., and Kumazawa, T.

H1-receptor-mediated excitation and facilitation of the heat response by histamine in canine visceral polymodal receptors studied in vitro. J. Neurophysiol., 76: 1396-1404, 1996.

3,Mizumura, K., Minagawa, M., Koda, H., and Kumazawa, T.

Influence of histamine on the bradykinin response of canine testicular polymodal receptors in vitro. Inflamm. Res., 44: 376-378, 1995.

4,Mizumura, K., Sato, J., Minagawa, M., and Kumazawa, T.

Incomplete suppressive effects of acetylsalicylic acid on the heat sensitization of canine testicular polymodal receptor activity. J. Neurophysiol., 72: 2729-2736, 1994.

5,Mizumura, K., Minagawa, M., Koda, H., and Kumazawa, T.

Histamine-induced sensitization of the heat response of canine visceral polymodal receptors. Neurosci. Lett., 168: 93-96, 1994

6,Mizumura, K., Minagawa, M., Koda, H., and Kumazawa, T.

Forskolin does not augment the bradykinin response of canine visceral polymodal receptors in vitro. Neurosci. Lett., 166: 195-198, 1994.

7,Mizumura, K., Minagawa, M., Tsujii, Y., and Kumazawa, T.

Prostaglandin E2-induced sensitization of the heat response of canine visceral polymodal receptors in vitro. Neurosci. Lett., 161: 117-119, 1993.

8, Mizumura, K., Minagawa, M., Tsujii, Y., and Kumazawa, T.

Forskolin augments the heat response but not the bradykinin response of testicular polymodal receptors. *Environ. Med.*, 35: 55-58, 1991.

9, Kumazawa, T., Mizumura, K., Minagawa, M., and Tsujii, Y.

Sensitizing effects of bradykinin on the heat responses of the visceral nociceptor. *J. Neurophysiol.*, 66: 1819-1824, 1991.

10, Mizumura, K., Minagawa, M., Tsujii, Y., and Kumazawa, T.

Changes in the heat response of canine testicular polymodal receptors induced by Ca<sup>++</sup> depletion. *Environ. Med.*, 34: 93-96, 1990.

11, Mizumura, K., Minagawa, M., Tsujii, Y., and Kumazawa, T.

The effects of bradykinin agonists and antagonists on visceral polymodal receptor activities. *Pain*, 40: 211-227, 1990.

13, Mizumura, K., Sato, J., Minagawa, M., and Kumazawa, T.

Reversible suppressive effects of amfenac sodium on the response to bradykinin of the visceral polymodal receptor. *Environ. Med.*, 33: 43-46, 1989.

14, Tsujii, Y., Minagawa, M., Mizumura, K., and Kumazawa, T.

The mediation of testicular polymodal receptor bradykinin response by type B2 bradykinin receptors. *Environ. Med.*, 33: 51-54, 1989.

15, Kumazawa, T., Mizumura, K., Sato, J., and Minagawa, M.

Facilitatory effects of opioids on the discharges of visceral nociceptors. *Brain Res.*, 497: 231-238, 1989.

16, Kumazawa, T., Mizumura, K., Minagawa, M., Koda, H., Tujii, Y., and Sato, J.

Differences in the response of the polymodal receptor to heat stimulation and to bradykinin. In: *Processing and Inhibition of Nociceptive Information*. Ed. by Inoki, R., Shigenaga, Y., and Tohyama, M. Elsevier: Amsterdam, pp. 3-8, 1992.

17, Mizumura, K., Minagawa, M., Tsujii, Y., Sato, J., and Kumazawa, T.

Differences in augmenting effects of various sensitizing agents on heat and bradykinin responses of the testicular polymodal receptor. In: *Proceedings of the VIth World Congress on Pain*. Ed. by Bond, M. R., Charlton, J. E., and Woolf, C. J. Elsevier: Amsterdam, pp. 77-82, 1991.